

EN - TACs for 2006 and Commission proposals for 2007 TACs

Species (common name)	Species (Latin name)	ICES fishing zone	TACs 2006 Final ¹	Commission proposals for TACs 2007 ²	% difference with TACs 2006
Sandeel	<i>Ammodytidae</i>	IV (Norwegian waters)	Not relevant*	Not relevant*	
Sandeel	<i>Ammodytidae</i>	IIa (EU waters), IIIa, IV (EU waters)	300 000 ³	Not established	
Greater silver smelt	<i>Argentina silus</i>	I, II (EU and International waters)	116	116	0,00%
Greater silver smelt	<i>Argentina silus</i>	III, IV (EU and International waters)	1 331	1 328	-0,23%
Greater silver smelt	<i>Argentina silus</i>	V, VI, VII (EU and International waters)	5 310	5 311	0,02%
Tusk	<i>Brosme brosme</i>	EU waters of zones IIa, IV, Vb, VI, VII	Not relevant	Not relevant	
Tusk	<i>Brosme brosme</i>	EU and international waters of I, II and XIV	35	25	-28,5%
Tusk	<i>Brosme brosme</i>	EU and international waters of III	40	31	-22,5%
Tusk	<i>Brosme brosme</i>	EU and international waters of IV	317	238	-25,0%
Tusk	<i>Brosme brosme</i>	EU and international waters of V, VI and VII	604	453	-25,0%
Tusk	<i>Brosme brosme</i>	IV (Norwegian waters)	Not relevant	Not relevant	
Snow crab	<i>Chionoecetes spp.</i>	NAFO 0, 1 (Greenland waters)	Not relevant	Not relevant	
Herring	<i>Clupea harengus</i>	Norwegian waters south of 62° N	Not relevant	Not relevant	
Herring	<i>Clupea harengus</i>	IIIa (Skagerrak and Kattegat)	81 600	pm	
Herring	<i>Clupea harengus</i>	I, II (EU and International waters)	Not relevant	Not relevant	
Herring	<i>Clupea harengus</i>	IIa (EU waters), IV, VIIId	42 500	pm	
Herring	<i>Clupea harengus</i>	IV north of 53°30' N	454 751	pm	
Herring	<i>Clupea harengus</i>	IVc, VIIId	454 751	pm	
Herring	<i>Clupea harengus</i>	Vb, VIaN (EU waters), VIb	34 000	28 900	-15,00%
Herring	<i>Clupea harengus</i>	VIaS, VIIbc	15 400	11 178	-27,42%
Herring	<i>Clupea harengus</i>	VIa Clyde	800	640	-20,00%
Herring	<i>Clupea harengus</i>	VIIa	4 800	4 800	0,00%
Herring	<i>Clupea harengus</i>	VIIe, f	1 000	1 000	0,00%
Herring	<i>Clupea harengus</i>	VIIg, h, j, k	11 050	7 184	-34,99%
Roundnose grenadier	<i>Coryphaenoides rupestris</i>	NAFO 0, 1 (Greenland waters)	Not relevant	pm	
Roundnose grenadier	<i>Coryphaenoides rupestris</i>	V, XIV (Greenland waters)	Not relevant	pm	
Anchovy	<i>Engraulis encrasicolus</i>	VIII	5 000	0	-100,00%
Anchovy	<i>Engraulis encrasicolus</i>	IX, X, CECAF 34.1.1 (EU waters)	8 000	8 000	0,00%
Cod	<i>Gadus morhua</i>	I, II (Norwegian waters)	457 000	pm	
Cod	<i>Gadus morhua</i>	Skagerrak	3 315	pm	
Cod	<i>Gadus morhua</i>	Kattegat	850	638	-24,94%
Cod	<i>Gadus morhua</i>	I, IIb	457 000	pm	
Cod	<i>Gadus morhua</i>	IIa (EU waters), IV	23 205	pm	
Cod	<i>Gadus morhua</i>	Norwegian waters south of 62° N	Not relevant	Not relevant	
Cod	<i>Gadus morhua</i>	Vb (EU waters), VI, XII, XIV	613	460	-24,96%
Cod	<i>Gadus morhua</i>	VIIa	1 828	1 371	-25,00%
Cod	<i>Gadus morhua</i>	VIIb-k, VIII, IX, X, CECAF 34.1.1 (EU waters)	5 580	3 634	-34,87%
Cod	<i>Gadus morhua</i>	NAFO 0, 1 including V, XIV (Greenland waters)	0	0	
Cod	<i>Gadus morhua</i>	NAFO 2J3KL	0	0	
Cod	<i>Gadus morhua</i>	NAFO 3NO	0	0	
Cod	<i>Gadus morhua</i>	NAFO 3M	0	0	

EN - TACs for 2006 and Commission proposals for 2007 TACs

Species (common name)	Species (Latin name)	ICES fishing zone	TACs 2006 Final ¹	Commission proposals for TACs 2007 ²	% difference with TACs 2006
Cod and haddock	<i>Gadus morhua and Melanogrammus aeglefinus</i>	Vb (Faroese waters)	Not relevant	Not relevant	
Porbeagle	<i>Lamna</i>	IV, VI, VII (EU waters)	No TAC	240	
Northern Albacore	<i>Germo alalunga</i>	Atlantic Ocean (north of latitude 5° N)	34 500	pm	
Southern Albacore	<i>Germo alalunga</i>	Atlantic Ocean (south of latitude 5° N)	30 915	pm	
Witch flounder	<i>Glyptocephalus cynoglossus</i>	NAFO 2J3KL	0	0	
Witch flounder	<i>Glyptocephalus cynoglossus</i>	NAFO 3NO	0	0	
Atlantic halibut	<i>Hippoglossus hippoglossus</i>	V, XIV (Greenland waters)	Not relevant	Not relevant	
Atlantic halibut	<i>Hippoglossus hippoglossus</i>	NAFO 0, 1 (Greenland waters)	Not relevant	Not relevant	
American Plaice	<i>Hippoglossoides platessoides</i>	NAFO 3M	0	0	
American Plaice	<i>Hippoglossoides platessoides</i>	NAFO 3LNO	0	0	
Short fin squid	<i>Illex illecebrosus</i>	NAFO sub-zones 3 and 4	34 000	34 000	0,00%
Megrim	<i>Lepidorhombus spp.</i>	Ila (EU waters), IV (EU waters)	1 740	1 479	-15,00%
Megrim	<i>Lepidorhombus spp.</i>	Vb (EU waters), VI, XII, XIV	2 880	2 448	-15,00%
Megrim	<i>Lepidorhombus spp.</i>	VII	18 300	15 555	-15,00%
Megrim	<i>Lepidorhombus spp.</i>	VIII a,b,d,e	2 125	1 806	-15,01%
Megrim	<i>Lepidorhombus spp.</i>	VIIIc, IX, X, CECAF 34.1.1 (EU waters)	1 269	1 440	13,48%
Yellowtail flounder	<i>Limanda ferruginea</i>	NAFO 3LNO	15 000	15 500	3,33%
Common dab and Flounder	<i>Limanda limanda and Platichthys flesus</i>	Ila (EU waters), IV (EU waters)	17 100	13 680	-20,00%
Anglerfish	<i>Lophiidae</i>	Ila (EU waters), IV (EU waters)	10 314	10 314	0,00%
Anglerfish	<i>Lophiidae</i>	IV (Norwegian waters)	Not relevant	pm	
Anglerfish	<i>Lophiidae</i>	Vb (EU waters), VI, XII, XIV	4 686	4 686	0,00%
Anglerfish	<i>Lophiidae</i>	VII	26 456	28 080	6,14%
Anglerfish	<i>Lophiidae</i>	VIIIa,b,d,e	7 462	7 920	6,14%
Anglerfish	<i>Lophiidae</i>	VIIIc, IX, X, CECAF 31.1.1 (EU waters)	1 955	1 662	-14,99%
Blue marlin	<i>Makaira nigricans</i>	Atlantic Ocean	Not relevant	Not relevant	
Capelin	<i>Mallotus villosus</i>	V, XIV (Greenland waters)	Not relevant	Not relevant	
Capelin	<i>Mallotus villosus</i>	IIb	0	0	
Capelin	<i>Mallotus villosus</i>	NAFO 3NO	0	0	
Haddock	<i>Melanogrammus aeglefinus</i>	I, II (Norwegian waters)	Not relevant	Not relevant	
Haddock	<i>Melanogrammus aeglefinus</i>	Norwegian waters south of 62° N	Not relevant	Not relevant	
Haddock	<i>Melanogrammus aeglefinus</i>	IIIa, IIIbcd (EU waters)	3 189	pm	
Haddock	<i>Melanogrammus aeglefinus</i>	Ila (EU waters), IV	51 850	pm	
Haddock	<i>Melanogrammus aeglefinus</i>	VIb, XII, XIV	597	687	15,08%
Haddock	<i>Melanogrammus aeglefinus</i>	Vb, VIa (EU waters)	7 810	7 200	-7,81%
Haddock	<i>Melanogrammus aeglefinus</i>	VII, VIII, IX, X, CECAF 34.1.1 (EU waters)	11 520	9792	-15,00%

EN - TACs for 2006 and Commission proposals for 2007 TACs

Species (common name)	Species (Latin name)	ICES fishing zone	TACs 2006 Final ¹	Commission proposals for TACs 2007 ²	% difference with TACs 2006
Haddock	<i>Melanogrammus aeglefinus</i>	VIIa subunit within VII	1275	1084	-14,98%
Whiting	<i>Merlangius merlangus</i>	IIIa	1 500	pm	
Whiting	<i>Merlangius merlangus</i>	IIa (EU waters), IV	23 800	pm	
Whiting	<i>Merlangius merlangus</i>	Vb (EU waters), VI, XII, XIV	1 360	300	-77,94%
Whiting	<i>Merlangius merlangus</i>	VIIa	437	139	-68,19%
Whiting	<i>Merlangius merlangus</i>	VIIIb, c, d, e, f, g, h, k	19 940	19 940	0,00%
Whiting	<i>Merlangius merlangus</i>	VIII	3 600	2 880	-20,00%
Whiting	<i>Merlangius merlangus</i>	IX, X, CECAF 31.1.1 (EU waters)	653	522	-20,06%
Whiting and Pollack	<i>Merlangius merlangus</i> and <i>Pollachius pollachius</i>	Norwegian waters south of 62° N	Not relevant	Not relevant	
Hake	<i>Merluccius merluccius</i>	IIIa, IIIbcd (EU waters)	1 323	1 522	15,04%
Hake	<i>Merluccius merluccius</i>	IIa (EU waters), IV (EU waters)	1 541	1 773	15,06%
Hake	<i>Merluccius merluccius</i>	Vb (EU waters), VI, VII, XII, XIV	24 617	28 318	15,03%
Hake	<i>Merluccius merluccius</i>	Vb (EU waters), VI, VII, XII, XIV - (VIIIabde flexibility)	3190	3670	+15,05%
Hake	<i>Merluccius merluccius</i>	VIII a, b, d, e	16 419	18 887	15,03%
Hake	<i>Merluccius merluccius</i>	VIIIabde – (Vb (EU waters), VI, VII, XII, XIV flexibility)	4103	4720	+15,04%
Hake	<i>Merluccius merluccius</i>	VIIIc, IX, X, CECAF 34.1.1 (EU waters)	6 661	5 995	-10,00%
Blue whiting	<i>Micromesistius poutassou</i>	I, II, III, IV, V, VI, VII, VIII a,b,d,e, XII, XIV (EU and international waters)	2 000 000	pm	
Blue whiting	<i>Micromesistius poutassou</i>	IV (Norwegian waters)	2 000 000	pm	
Blue whiting	<i>Micromesistius poutassou</i>	VIIIc, IX, X, CECAF 34.1.1 (EU waters)	2 000 000	pm	
Blue whiting	<i>Micromesistius poutassou</i>	Vb (Faroese waters)	Not relevant	Not relevant	
Blue whiting	<i>Micromesistius poutassou</i>	II, IV a, VI a North of 56°30'N, VIb, VII West of 12° W	2 000 000 ⁴	pm	
Lemon sole and Witch	<i>Microstomus kitt</i> & <i>Glyptocephalus cynoglossus</i>	IIa (EU waters), IV (EU waters)	6 175	5558	9,99%
Blue ling	<i>Molva dypterygia</i>	IIa, IV, Vb, VI, VII (EU waters)	200	pm	
Blue ling	<i>Molva dypterygia</i>	VI North (EU waters)	400	Not relevant	
Ling	<i>Molva molva</i>	I, II (EU and International waters)	45	45	0,00%
Ling	<i>Molva molva</i>	III (EU waters)	136	95	- 30,15%
Ling	<i>Molva molva</i>	IV (EU waters)	3 966	2 776	- 30,00%
Ling	<i>Molva molva</i>	V (EU and International waters)	48	33	-31,25%
Ling	<i>Molva molva</i>	VI, VII, VIII, IX, X, XII, XIV (EU waters and international waters)	14 966	10 475	-30,01%
Ling	<i>Molva molva</i>	EU waters of zones IIa, IV, Vb, VI, VII	Not relevant	Not relevant	
Ling	<i>Molva molva</i>	IV (Norwegian waters)	Not relevant	Not relevant	
Ling and Blue ling	<i>Molva molva</i> and <i>Molva dypterygia</i>	Vb (Faroese waters)	Not relevant	Not relevant	
Norway lobster	<i>Nephrops norvegicus</i>	IIIa (EU waters), IIIbcd (EU waters)	5 170	pm	
Norway lobster	<i>Nephrops norvegicus</i>	IIa (EU waters), IV (EU waters)	28 147	23 925	-14,99%

EN - TACs for 2006 and Commission proposals for 2007 TACs

Species (common name)	Species (Latin name)	ICES fishing zone	TACs 2006 Final ¹	Commission proposals for TACs 2007 ²	% difference with TACs 2006
Norway lobster	<i>Nephrops norvegicus</i>	Vb (EU waters), VI	17 675	16 300	-7,78%
Norway lobster	<i>Nephrops norvegicus</i>	VII	21 498	21498	0,00%
Norway lobster	<i>Nephrops norvegicus</i>	VIII a, b, d, e	4 030	3 600	-10,67%
Norway lobster	<i>Nephrops norvegicus</i>	VIIIc	146	131	-10,27%
Norway lobster	<i>Nephrops norvegicus</i>	IV (Norwegian waters)	Not relevant	Not relevant	
Norway lobster	<i>Nephrops norvegicus</i>	IX, X, CECAF 34.1.1 (EU waters)	486	437	-10,08%
Northern prawn	<i>Pandalus borealis</i>	IIIa	11 200	pm	
Northern prawn	<i>Pandalus borealis</i>	IIa (EU waters), IV (EU waters)	4 980	pm	
Northern prawn	<i>Pandalus borealis</i>	Norwegian waters south of 62°00' N	Not relevant	Not relevant	
Northern prawn	<i>Pandalus borealis</i>	V, XIV (Greenland waters)	Not relevant	Not relevant	
Northern prawn	<i>Pandalus borealis</i>	NAFO 0, 1 (Greenland waters)	Not relevant	Not relevant	
Northern prawn	<i>Pandalus borealis</i>	NAFO 3L	22 000	22 000	0,00%
Northern prawn	<i>Pandalus borealis</i>	NAFO 3M	Not relevant	Not relevant	
'Penaeus' shrimps	<i>Penaeus spp.</i>	French Guyana	4 108	4 108	0,00%
Plaice	<i>Pleuronectes platessa</i>	Skagerrak	7 680	pm	
Plaice	<i>Pleuronectes platessa</i>	Kattegat	1 920	pm	
Plaice	<i>Pleuronectes platessa</i>	IIa (EU waters), IV	57 441	pm	
Plaice	<i>Pleuronectes platessa</i>	Vb (EU waters), VI, XII, XIV	786	629	-19,97%
Plaice	<i>Pleuronectes platessa</i>	VIIa	1 608	1 849	14,99%
Plaice	<i>Pleuronectes platessa</i>	VII b, c	144	122	-15,28%
Plaice	<i>Pleuronectes platessa</i>	VII d, e	5 151	5 050	-1,96%
Plaice	<i>Pleuronectes platessa</i>	VII f, g	476	405	-14,92%
Plaice	<i>Pleuronectes platessa</i>	VII h, j, k	396	337	-14,90%
Plaice	<i>Pleuronectes platessa</i>	VIII, IX, X, CECAF 34.1.1 (EU waters)	448	358	-20,09%
Pollack	<i>Pollachius pollachius</i>	Vb (EU waters), VI, XII, XIV	450	360	-20,00%
Pollack	<i>Pollachius pollachius</i>	VII	15 300	12 240	-20,00%
Pollack	<i>Pollachius pollachius</i>	VIII a, b, d, e	1 680	1 680	0,00%
Pollack	<i>Pollachius pollachius</i>	VIIIc	262	210	-19,85%
Pollack	<i>Pollachius pollachius</i>	IX, X, CECAF 34.1.1 (EU waters)	288	230	-20,14%
Saithe	<i>Pollachius virens</i>	I, II (Norwegian waters)	Not relevant	Not relevant	
Saithe	<i>Pollachius virens</i>	I, II (International waters)	Not relevant	Not relevant	
Saithe	<i>Pollachius virens</i>	IIa (EU waters), IIIa, IIIbcd (EU waters), IV	123 250	pm	
Saithe	<i>Pollachius virens</i>	Norwegian waters south of 62° N	Not relevant	Not relevant	
Saithe	<i>Pollachius virens</i>	Vb (Faroese waters)	Not relevant	Not relevant	
Saithe	<i>Pollachius virens</i>	Vb (EU waters), VI, XII, XIV	12 787	pm	
Saithe	<i>Pollachius virens</i>	VII, VIII, IX, X, CECAF 34.1.1 (EU waters)	4 738	3 790	-20,01%
Turbot and brill	<i>Psetta maxima & Scophthalmus rhombus</i>	IIa (EU waters), IV (EU waters)	4 323	3 891	-9,99%
Skates and rays	<i>Rajidae</i>	IIa (EU waters), IV (EU waters)	2 737	1 510	-44,83%
Skates	<i>Rajidae</i>	NAFO 3LNO	13 500	13 500	0,00%
Greenland halibut	<i>Reinhardtius hippoglossoides</i>	IIa (EU waters), IV (EU waters), VI (EU and International waters)	Not relevant	Not relevant	
Greenland halibut	<i>Reinhardtius hippoglossoides</i>	I, II (Norwegian waters)	Not relevant	Not relevant	
Greenland halibut	<i>Reinhardtius hippoglossoides</i>	I, II (International waters)	Not relevant	Not relevant	

EN - TACs for 2006 and Commission proposals for 2007 TACs

Species (common name)	Species (Latin name)	ICES fishing zone	TACs 2006 Final ¹	Commission proposals for TACs 2007 ²	% difference with TACs 2006
Greenland halibut	<i>Reinhardtius hippoglossoides</i>	V, XIV (Greenland waters)	Not relevant	Not relevant	
Greenland halibut	<i>Reinhardtius hippoglossoides</i>	NAFO 0, 1 (Greenland waters)	Not relevant	Not relevant	
Greenland halibut	<i>Reinhardtius hippoglossoides</i>	NAFO 3LMNO	13 079	11 856	-9,35%
Mackerel	<i>Scomber scombrus</i>	Ila (Norwegian waters)	Not relevant	Not relevant	
Mackerel	<i>Scomber scombrus</i>	Ila (EU waters), IIIa, IIIb, c, d (EU waters), IV	415 824	pm	
Mackerel	<i>Scomber scombrus</i>	Ila , Vb (EU waters), VI, VII, VIII a, b, d, e, XII, XIV	415 824	pm	
Mackerel	<i>Scomber scombrus</i>	Vb (Faroese waters)	Not relevant	Not relevant	
Mackerel	<i>Scomber scombrus</i>	VIIIc, IX, X, CECAF 34.1.1 (EU waters)	26 176	29 611	13,12%
Redfish	<i>Sebastes spp.</i>	V, XII, XIV	62 416	pm	
Redfish	<i>Sebastes spp.</i>	I, II (Norwegian waters)	Not relevant	Not relevant	
Redfish	<i>Sebastes spp.</i>	V, XIV (Greenland waters)	Not relevant	Not relevant	
Redfish	<i>Sebastes spp.</i>	Va (Icelandic waters)	Not relevant	Not relevant	
Redfish	<i>Sebastes spp.</i>	Vb (Faroese waters)	Not relevant	Not relevant	
Redfish	<i>Sebastes spp.</i>	NAFO 3M	5 000	5 000	0,00%
Redfish	<i>Sebastes spp.</i>	NAFO 3LN	0	0	
Redfish	<i>Sebastes spp.</i>	NAFO 3O	20 000	20 000	0,00%
Redfish	<i>Sebastes spp.</i>	NAFO subarea 2, Divisions IF and 3K	3 383	3 383	0,00%
Common sole	<i>Solea solea</i>	IIIa, IIIb,c,d (EU waters)	900	765	-15,00%
Common sole	<i>Solea solea</i>	II, IV (EU waters)	17 670	15 020	-15,00%
Common sole	<i>Solea solea</i>	Vb (EU waters), VI, XII, XIV	68	54	-20,59%
Common sole	<i>Solea solea</i>	VIIa	960	816	-15,00%
Common sole	<i>Solea solea</i>	VIIb, c	64	65	1,56%
Common sole	<i>Solea solea</i>	VIIId	5 720	6 220	8,74%
Common sole	<i>Solea solea</i>	VIIe	940	900	-4,26%
Common sole	<i>Solea solea</i>	VIIIf, g	950	840	-11,58%
Common sole	<i>Solea solea</i>	VIIIh, j, k	650	553	-14,92%
Common sole	<i>Solea solea</i>	VIIIa, b	4060	4 540	+11,8%
Sole	<i>Solea spp.</i>	VIIIc, d, e, IX, X, CECAF 34.1.1 (EU waters)	1216	1 216	0,00%
Sprat	<i>Sprattus sprattus</i>	IIIa	52 000	pm	
Sprat	<i>Sprattus sprattus</i>	Ila (EU waters), IV (EU waters)	282 700	175 000	-38,10%
Sprat	<i>Sprattus sprattus</i>	VIIId, e	6 144	4 915	-20,00%
Spurdog/dogfish	<i>Squalus acanthias</i>	Ila (EU waters), IV (EU waters)	1 051	841	-19,98%
Spurdog/dogfish	<i>Squalus acanthias</i>	IIIa , I, V, VI, VII, VIII, XII and XIV (EU and international waters)		0	
White marlin	<i>Tetrapturus alba</i>	Atlantic Ocean	Not relevant	Not relevant	
Horse mackerel	<i>Trachurus spp.</i>	Ila (EU waters), IV (EU waters)	42 727	36 318	-15,00%
Horse mackerel	<i>Trachurus spp.</i>	Vb (EU waters), VI, VII, VIIIa, b, d, e, XII, XIV	137 000	116 450	-15,00%
Horse mackerel	<i>Trachurus spp.</i>	VIIIc, IX	55 000	46 750	-15,00%
Horse mackerel	<i>Trachurus spp.</i>	X, CECAF Azores	3 200	2 560	-20,00%
Horse mackerel	<i>Trachurus spp.</i>	CECAF Madeira Islands	1 280	1 024	-20,00%
Horse mackerel	<i>Trachurus spp.</i>	CECAF Canary Islands	1 280	1 024	-20,00%
Norway pout	<i>Trisopterus esmarki</i>	Ila (EU waters), IIIa, IV (EU waters)	94 000 ⁵	pm	
Norway pout	<i>Trisopterus esmarki</i>	IV (Norwegian waters)	Not relevant	Not relevant	

EN - TACs for 2006 and Commission proposals for 2007 TACs

Species (common name)	Species (Latin name)	ICES fishing zone	TACs 2006 Final ¹	Commission proposals for TACs 2007 ²	% difference with TACs 2006
Bluefin tuna	<i>Thunnus thynnus</i>	Atlantic Ocean (east of longitude 45° W) and Mediterranean	32 000	pm	
Bigeye tuna	<i>Thunnus obesus</i>	Atlantic Ocean	90 000	pm	
White hake	<i>Urophycis tenuis</i>	NAFO 3NO	8 500	8 500	0,00%
Swordfish	<i>Xiphias gladius</i>	Atlantic Ocean (north of latitude 5° N)	14 000	pm	
Swordfish	<i>Xiphias gladius</i>	Atlantic Ocean (south of latitude 5° N)	16 055	pm	
Flatfish		Vb (Faroese waters)	Not relevant	Not relevant	
Industrial fish		IV (Norwegian waters)	Not relevant	pm	
Combined quota		EU waters of zones Vb, VI and VII	Not relevant	Not relevant	
Other species		IV (Norwegian waters)	Not relevant	Not relevant	
Other species		EU waters of zones IIa, IV, VIa north of 56° 30'N	Not relevant	Not relevant	
Other species		I, II (Norwegian waters)	Not relevant	Not relevant	
Other species		Vb (Faroese waters)	Not relevant	Not relevant	
By-catches		NAFO 0, 1 (Greenland waters)	Not relevant	Not relevant	

¹ Council Regulation (EC) No 51/2006 and 52/2006 of 22 December 2005, Annexes IA, IB, IC, ID, IE and Council Regulation 2270/2004 of 22 December 2004.

² Proposal for a Council Regulation fixing TACs and quotas for 2007, Annexes IA, IB, IC, ID.

³ As amended by Council Regulation (EC) No 898/2006.

⁴ As amended by Council Regulation (EC) No 941/2006.

⁵ As amended by Council Regulation (EC) No1259/2006.

* "Not relevant" = TAC not set but EC quota to be established as a result of exchange/transfer from non-EU countries or unilaterally"