



Scientists reveal first-ever global map of total human effects on oceans

Embargoed until Thursday, Feb. 14, 2008 2pm EST

(Santa Barbara, CA) – More than 40% of the world’s oceans are heavily affected by human activities, and few if any areas remain untouched, according to the first global-scale study of human influence on marine ecosystems. By overlaying maps of 17 different activities such as fishing, climate change, and pollution, the researchers have produced a composite map of the toll that humans have exacted on the seas.

The work, published in the Feb. 15 issue of *Science* and presented at a press conference Thursday February 14 at 1 pm EST at the American Association for the Advancement of Science (AAAS) meeting in Boston, MA, was conducted at the National Center for Ecological Analysis and Synthesis (NCEAS) at UC Santa Barbara and involved 19 scientists from a number of universities and NGOs.

The study synthesized global data on human impacts to marine ecosystems such as coral reefs, seagrass beds, continental shelves, and the deep ocean. Past studies have focused largely on single activities or single ecosystems in isolation, and rarely at the global scale. In this study the scientists were able to look at the summed influence of human activities across the entire ocean.

“This project allows us to finally start to see the big picture of how humans are affecting the oceans.” said lead author Ben Halpern, Assistant Research Scientist at NCEAS. “Our results show that when these and other individual impacts are summed up, the big picture

looks much worse than I imagine most people expected. It was certainly a surprise to me.”

“Clearly we can no longer just focus on fishing or coastal wetland loss or pollution as if they are separate effects,” said Andrew Rosenberg, a Professor of Natural Resources at the University of New Hampshire who was not involved with the study. “These human impacts overlap in space and time, and in far too many cases the magnitude is frighteningly high. The message for policymakers seems clear to me: conservation action that cuts across the whole set of human impacts is needed now in many places around the globe.”

The study reports that the most heavily affected waters in the world include large areas of the North Sea, the South and East China Seas, the Caribbean Sea, the east coast of North America, the Mediterranean Sea, the Red Sea, the Persian Gulf, the Bering Sea, and several regions in the western Pacific. The least affected areas are largely near the poles.

“Unfortunately, as polar ice sheets disappear with warming global climate and human activities spread into these areas, there is a great risk of rapid degradation of these relatively pristine ecosystems,” said Carrie Kappel, a principal investigator on the project and a post-doctoral researcher at NCEAS.

Importantly, human influence on the ocean varies dramatically across various ecosystems. The most heavily affected areas include coral reefs, seagrass beds, mangroves, rocky reefs and shelves, and seamounts. The least impacted ecosystems are soft-bottom areas and open-ocean surface waters.

“There is definitely room for hope,” added Halpern. “With targeted efforts to protect the chunks of the ocean that remain relatively pristine, we have a good chance of preserving these areas in good condition.”

The research involved a four-step process. First, the scientists developed techniques to quantify and compare how different human activities affect each marine ecosystem. For example, fertilizer runoff has been shown to have a large effect on coral reefs but a much smaller one on kelp forests. Second, the researchers gathered and processed global data on the distributions of marine ecosystems and human influences. Third, the researchers combined data from the first and second steps to determine “human impact scores” for each location in the world. Finally, using global estimates of the condition of marine ecosystems from previous studies, the researchers were able to ground-truth their impact scores.

Despite all this effort, the authors acknowledge that their maps are yet incomplete, because many human activities are poorly studied or lack good data. “Our hope is that as more data become available, the maps will be refined and updated,” said Fio Micheli, a principal investigator on the project and Assistant Professor at Stanford University. “But this will almost certainly create a more dire picture.”

This study provides critical information for evaluating where certain activities can continue with little effect on the oceans, and where other activities might need to be stopped or moved to less sensitive areas. As management and conservation of the oceans turns toward marine protected areas (MPAs), ecosystem-based management (EBM) and ocean zoning to manage human influence, such information will prove invaluable to managers and policymakers.

“Conservation and management groups have to decide where, when, and what to spend their resources on,” said Kimberly Selkoe, a principal investigator on the project and a post-doctoral researcher at the University of Hawaii. “Whether one is interested in protecting ocean wilderness, assessing which human activities have the greatest impact, or prioritizing which ecosystem types need management intervention, our results provide a strong framework for doing so.”

“My hope is that our results serve as a wake-up call to better manage and protect our oceans rather than a reason to give up,” Halpern said. “Humans will always use the oceans for recreation, extraction of resources, and for commercial activity such as shipping. This is a good thing. Our goal, and really our necessity, is to do this in a sustainable way so that our oceans remain in a healthy state and continue to provide us the resources we need and want.”

###

The authors have created an interactive website to view and download the maps of human influence on the oceans, housed by NCEAS, the home institute of the project, in Santa Barbara, CA. (<http://www.nceas.ucsb.edu/GlobalMarine>)

Note to Journalists:

* = present at AAAS

Principal Investigator contact information

*Ben Halpern of NCEAS can be reached at 805.892.2531, 805.259.7474 (cell), or halpern@nceas.ucsb.edu

*Kim Selkoe of the University of Hawaii can be reached at 805.966.1677, 805.259.7476 (cell), or selkoe@nceas.ucsb.edu

*Carrie Kappel of NCEAS can be reached at 805.966.1677, 831.869.1503 (cell), or kappel@nceas.ucsb.edu

*Fio Micheli of Stanford University can be reached at 831.655.6250, 831.917.7903 (cell), or micheli@stanford.edu

Co-author contact information:

Caterina D’Agrosa: Caterina.Dagrosa@asu.edu

John Bruno: jbruno@unc.edu

Ken Casey: Kenneth.Casey@noaa.gov

Colin Ebert: ebert@nceas.ucsb.edu

*Helen Fox: (202) 640-3070; Helen.Fox@WWFUS.ORG

*Rod Fujita: RFujita@environmentaldefense.org

Dennis Heinemann: DHeinemann@OCEANCONSERVANCY.ORG

Hunter Lenihan: lenihan@bren.ucsb.edu

liz Madin: (805) 455-7528; madin@lifesci.ucsb.edu

Matt Perry: perrygeo@gmail.com

*Liz Selig: eselig@unc.edu

Mark Spalding: mspalding@tnc.org

Bob Steneck: steneck@maine.edu

Shaun Walbridge: Walbridge@nceas.ucsb.edu

Reg Watson: rwatson@ecomarres.com

Non-author contact information:

*Andy Rosenberg can be reached at 603.862.2020; Andy.Rosenberg@unh.edu

*Larry Crowder can be reached at 252.504.7637; lcrowder@duke.edu

Full Paper Reference

Benjamin S. Halpern, Shaun Walbridge, Kimberly A. Selkoe, Carrie V. Kappel, Fiorenza Micheli, Caterina D'Agrosa, John F. Bruno, Kenneth S. Casey, Colin Ebert, Helen E. Fox, Rod Fujita, Dennis Heinemann, Hunter S. Lenihan, Elizabeth M.P. Madin, Matthew T. Perry, Elizabeth R. Selig, Mark Spalding, Robert Steneck, Reg Watson. 2008. A global map of human impact on marine ecosystems. *Science* 319: XXX – XXX.